



 100% secure shopping

 Reliable warranty

 Free shipping

EcoFlow DELTA mini Portable Power Station

€1,099.00  (55)

Tax included.

Add to cart

Buy it now

Our lightest DELTA It's power you can pick up, take along, and stow away for wherever a wall outlet isn't handy.

Power bigger electronics DELTA mini's output of 1400W handles 90% of electronics. X-Boost that number to 2200W and suddenly your toaster oven, table saw, and hairdryer become battery-powered.

Need any help? Charge up to 9 devices with a generous array of wall-style outlets, USB outlets, and DC outlets.

Fully charged in 1.6 hours With X-Stream on, DELTA mini charges 3 to 4 times faster than other portable power stations. Faster charging means less wait time and more do-time.



THE NEWEST

REBORN MEMBER



Bring along DELTA mini and keep your devices powered at all times. DELTA mini's 882Wh capacity is perfect for power outages, outdoor adventures, and professional work.



Big Capacity



Portable



Power multiple devices



300W Max Solar Input

Pint-sized Powerhouse

More possibilities open up when you bring along 1400W for up to 9 devices. Whether it's professional gear or the comforts of home, it's good to know you're good to go.

Need any help?

Charge Faster

DELTA mini snags up to 300W from solar panels for a full recharge in 3 to 6 hours. It can also go from 0-100% in 1.6 hours when charging from the wall.

Smarter with the App

The EcoFlow app shows how much solar you're bringing in and how many watts your slow cooker and mini-fridge are pulling. Connect it to the internet and control it from anywhere.

Three easy ways to charge

Solar charging

Harness the power of the sun by linking up to two 160W solar panels, and be fully charged in as little as 3.7 to 7.4 hours.

Car charging

Heading on a road trip? Charge DELTA mini along the way from your car outlet.

Wall outlet

Plug into any standard AC wall outlet to fast charge from 0–80% in under 1 hour with X-Stream charging.

What's in the box


Need any help?





1. EcoFlow DELTA mini, 2. DC 5521 to DC 5525 cable, 3. AC charging cable, 4. Car charging cable, 5. User manual


Compare The Models



RIVER Pro portable power station

Capacity: 720Wh
 Output: 600W (Surge 1200W)
 AC Input: 660W Max
 Solar Input: 200W


€799.00
[See specs](#)



DELTA mini portable power station

Capacity: 882Wh
 Output: 1400W (Surge 2100W)
 AC Input: 900W Max
 Solar Input: 300W

€1,099.00



DELTA portable power station

Capacity: 1260Wh
 Output: 1800W (Surge 3300W)
 AC Input: 1200W Max
 Solar Input: 400W

€1,449.00
[See specs](#)

Need any help?



Specs

Net Weight

Approximately 11 kg

Charge Temperature

32 to 113°F (0 to 45°C)

Warranty

24 months

Full Recharge Time

1.6 Hours (AC) 9.5 Hours (12V Car Charger)

3.3-6.6 Hours (Using 3x 110W Solar Panels)

3.7-7.4 Hours (Using 2x 160W Solar Panels)

Cell Chemistry

NCM

Management Systems

BMS, Over Voltage Protection, Overload Protection, Over Temperature Protection, Short Circuit Protection, Low Temperature Protection, Low Voltage Protection, Overcurrent Protection

AC Charge Input (Power)

X-Stream Fast Charge 900W max

Solar Charge Input

11-75V 13A Max, 300W max

AC Output (x2)

Pure Sine Wave, 1400W total (surge 2100W), 230V~ (50Hz)

USB-A Output (x2)

5V 2.4A, 12W max, per port

USB-C Output (x1)

5/9/12/15/20V 5A, 100W max

DC5521 Output (x2)

12.6V/3A, per port

Dimension

37.0 × 18.3 × 23.6 cm (14.9 × 7.2 × 9.4 in)

Discharge Temperature

-4 to 113°F (-20 to 45°C)

Charge Method

AC Wall Outlet, 12V Car Adaptor, Solar Panel

Capacity

882Wh

Cycle Life

800 Cycles to 80%+ capacity

Testing and certification

UL2743 CE WEEE ROHS UKCA RCM GOST

AC Charge Input (Voltage and Amperage)

220-240V~50Hz/60Hz, 10A

Car Charge Input

Supports 12V/24V Battery, Default 8A

Max Device(s) Power Supported by X-Boost

2200W

USB-A Fast Charge (x1)

5V/2.4A, 9V/2A, 12V/1.5A, 18W Max

Car Charger Output (x1)

12.6V/10A, 126W max


Wi-Fi

Supported

*Please Note: The above weight, size, etc. have certain measurement errors. Please refer to the actual measurement.


Need any help? Power with the DC5521 output port offering maximum output of 126W.

Whether the product can be charged or discharged depends on the actual temperature of the battery pack.



CUSTOMER REVIEWS

5.0
★★★★★
Based on 19 reviews



Add a review

Most Recent

H Heinrich W.
★★★★★ Oct 2, 2021

J'ai longtemps hésité entre la Delta Mini et la Delta Max, et en fin de compte c'est celle-là que j'ai choisie pour alimenter ces appareils lors de mes voyages en van! Elle est très... [view more](#)

5

K Karl E.
★★★★★ Aug 30, 2021

Mes amis et moi cherchions une batterie assez puissante pour alimenter correctement nos enceintes, notre grill, et tous nos téléphones pour des week-end au bord de l'eau, et que di... [view more](#)

2

E Emily S.
★★★★★ Jul 31, 2021

La Delta Mini suffit amplement pour alimenter tous les appareils que j'utilise pendant mes vacances en camping. Le X-stream de chez EcoFlow permet de la charger très rapidement, mê... [view more](#)

2

L luc.bragard - Verified Buyer
★★★★★ Apr 15, 2022

Elle convient à mes attentes. Elle me permet en plus de refroidir ma glacière, d'utiliser ma bouilloire électrique qui consomme 1460w.

J Joseph O. - Verified Buyer
★★★★★ Apr 1, 2022

Love the product but socket type was wrong on the one I purchased. Thankfully customer service were quick to respond and are organising a replacement.

Load more

Products

[Portable Power Stations](#)

[Portable Solar Panels](#)

[Solar Generators](#)

[Accessories](#)

Support Center

Need any help?

[Payment Policy](#)

[Orders & Shipping Policy](#)



[Claim Warranty](#)

[Warranty Policy](#)

[Return & Refund Policy](#)

Company

[Terms of Use](#)

[Privacy Policy](#)

[Affiliate Program](#)

[Distribution & Partnership](#)

[Contact Us](#)

[Sitemap](#)

Subscribe Now



ECOFLOW

EUROPE

© 2022, [EcoFlow Europe](#)

[France](#) [Germany](#) [United Kingdom](#) [Australia](#) [Canada](#) [USA](#) [China](#)

[Japan](#) [Korea](#)

Need any help?

